IGCC 기술연구회 발표 자료


"가스화 기술의 환경분야 적용 사례"

발표자 : 유 영 돈

ydnyoo@iae.re.kr

Plant Engineering 센터 고등기술연구원

Thermal treatment option for MSW



MSW: Municipal Solid Waste (도시쓰레기)

Market drivers and novel process for thermal treatment

Market driver

- Reduce the volume of waste
- Render the waste safe and inert
- Recover value from waste (mainly in form of electricity)
- Drive for more sustainable development leading to reuse and recycling initiatives

Novel Process


- Conventional incineration plus vitrification
- Pyrolysis or gasification to produced a syngas which is combusted
- Pyrolysis or gasification to produced a syngas which cooled and cleaned prior to the direct generation of electricity via gas engines
- Pyrolysis or gasification to produce a transportable fuel


Factors affecting the demand for Novel process

Increasing demand Desire to recover valuable products and/or energy for waste Negative image of incineration Perception of new process as "greener" high technology solution Constrains on land-filling untreated waste Smaller chimney Increasing cost of, and regulatory focus on, residue disposal from incinerators Compatible with recycling (stable residues) Marketing efforts of suppliers




Application of pyrolysis and gasification technologies (1)











Comparison of commercial status

Status	Suppliers	Process	Markets
	ABB/Ebara	FB Gasification +Combustion	ASR, MPW
n 11	BG System	Gasification	Argi-fuels
Fully Commercial	Foster Wheeler	FB gasification	Argi-fuels, RDF, MPW
	Nippon Steel	Gasification/Melting	MSW, ASR, MPW
	PRME	Gasification	Argi-fuels
	Conrad	Pyrolysis	Tire
	ESI	Pyrolysis	Sewage sludge
	Ferco	CFB gasification	Argi-fuels
	Heuristic Eng.	Gasification + Combustion	Argi-fuels
	Kvaerner Chemrec	Gasification	Block liquor
	Lurgi	Gasification	Argi-fuels, MSW
	Mitsue	Pyrolysis + Combustion	MSW, ASR
Commercial	MTCI	Gasification	Paper, Sludge, RDF
	Sacone	Gasification	Clinical, animal waste
	Takuma	Pyrolysis + Combustion	ASR, MSW
	Technip	Gasification	MSW, MPW
	Thermogenics	Gasification	Argi-fuels, RDF
	Thermoselect	Pyrolysis + Gasification	MSW, Industrial waste
	TPS	Gasification	RDF, Argi-fuels
	Von Roll	Pyrolysis + Melting	MSW, ASR

Comparison of power output




Comparison of process char handling strategies




Process	Char handling and processing methods								
1 10000	Convert to product	Gasify	Combust	Melt into slag	Dispose				
Bal Pac					1				
Compact Power									
ESI			1						
JND					1				
Nexus	(off-site)		(on-site)						
Noell					1				
PKA		1		1					
Serpac			ı						
Technip					ı				
Thermoselect				1					
Thide	(off-site)		(on-site)						
Traidec			1						
WGT					ı				

Comparison of process tar handling strategies



	Tar handling Strategies for "Clean" Syn gas Production						
Process	Creaking or Gasification	Removal	End use	Gas cleaning process			
Battelle			Disposal	ws			
EDL		Not applicable					
JND		1	Disposal	Q+WS			
Lurgi (CFB)		1		Q+WS			
Lurgi (LR)		Not applicable		•			
Noell Pyrolysis		1	Fuel, Disposal	Q+TS			
PKA				•			
Техасо		1	Recycle to Gasifier	Q			
Thermogenics		1	Recycle to Gasifier	Q + WEPS			
Thermoselect		Not applicable					
TPS		Not applicable					
Von Roll		Not applicable					
WGT		1	Disposal	Q + WESP +TS			

Process which produce a slag for recycling



	Process which produce a glass-like slag for recycling							
Process	Leach test Data available	Oxygen use	Additional fuel	Internal energy recycling (char, syn gas)				
ABB/Ebara	1							
Krupp Uhde (Precon)	1	1	1					
Lurgi (BGL)		1						
Nippon Steel		1	1	1				
Siemens/Mitsue			1	ı				
Noell (GSP)		1	1					
PKA	1	1		1				
Resorption	1		1	1				
Техасо		1		1				
Thermoselect	1	1	1	1				
Von Roll (RCP)	1	1	1					

Mass balance(Waste; MSW, CV=10MJ/kg)

Supp-liers	Supp-liers Process		Input (kg/T-waste)		Recyclable Output (kg/T-waste)						Residue (kg/T-waste)
		O ₂	Fuel	Additives	Slag	Syn Gas	Metal	Gypsum	HCl	S	Heavy metal Sludge
Nippon Steel	Gasification/Melting	?	50 (coke)	50	90		10				30
PKA	Pyrolysis Gasification Melting	100	5 (LPG)	11	140	?	20				18
Siemens	Pyrolysis + Combustion	-	35 (LNG)		168		95	10	23		3
Mitsue	Pyrolysis + Combustion	-	-	?	81		12.6				38 (or 19)
Thermoselect	Pyrolysis + Gasification	514	23.3 (LNG)	20	230	895	29			2	19.5
Thermoselect (Kawasaki Steel)	Pyrolysis + Gasification	500	?	?	60	722	1 ~ 6			0.5	
Von Roll	Pyrolysis + Melting	790	5 (oil)	23.2	205		6				18(+ 48)

Main markets currently targeted by specific commercial process (1)

			•				
Suppliers	Agricultural residue	Small scale bio-waste	Site-specific industrial waste	Dried Sewage sludge	Small to medium	Large Scale MSW	Very large scale integrated plants
ABB							
B9 energy		1					
Balboa Pacific	1		1		1		1
Battelle/Ferco	1						
BG Systems		1					
BSC/EDL		ı					
Compact Power			1		1		
Dynamotive	1						
Enerkem	1						
Enersludge							
Ensyn							
EPI	1						
Foster Wheeler							
GTS Duratek			1				
Heuristic Eng.	ı	1					
JND							
Krupp Uhde							


Main markets currently targeted by specific commercial process (2)

			<u> </u>				
Suppliers	Agricultural residue	Small scale bio-waste	Site-specific industrial waste	Dried Sewage sludge	Small to medium scale MSW	Large Scale MSW	Very large scale integrated plants
Kvaerner Chemrc			1				
Lurgi process	ı					1	
Mitsue						1	
MTCI							
Nexus			1		1		
Nippon Steel							
Noell			1				
Organic Power					1		
Peat							
PKA					1		
PRME	ı						
Pyrovac	Î				1		
Resorption			1		1		
RGR Ambiente			1		1		
Sacone		1	1				
serpac							
Technip			1		1	1	


Main markets currently targeted by specific commercial process (3)

Suppliers	Agricultural residue	Small scale bio-waste	Site-specific industrial waste	Dried Sewage sludge	Small to medium	Large Scale MSW	Very large scale integrated plants
Thermogenics					1		
Thermoselect			1				
Thide							
TPS	ı						
Traidec			1				
UET							
Von Roll							
WGT							
Waste to Energy							
Waterwide	1						
Wellman		1	1				

Thermoselect process




Syn gas production as a function of waste heat content and throughput



Black liquor gasification (Kvaerner Chemrec)

- Waste : Black liquor
- Gasifier
 - Oxygen blown entrained flow gasifier (Noell gasifier)
 - ✓ 900~ 1000 °C
 - ✓ 20~40 bar
- ☐ Capacity: 550T/Dry solid/Day
- ☐ Start up: late 2000
- Combined cycle plant




Lurgi gasification technologies


Gasifier type	Feed stocks	Status
Fixed bed	Mixed waste	
BGL slagging	Plastics Sewage sludge Rubber, ASR Contaminated wood Paint residue MSW	Developed for coal gasification
CFB		
-ZWS	Wastes	
-Okogas	Biomass	
-Wikonex		
LR	Dried sewage sludge	
Pyromelt	ASR, MSW	Not currently being promoted

BGL: British Gas Lurgi, CFB: Circulating Fluidized Bed, LR: Lurgi Residue

MSW: Municipal Solid Waste

Lurgi gasifier





Offgas to Boiler

Product to Condensation

Surge Bin

LR-Mixer Reactor

Collecting Bin