## A Surface Acoustic Wave Based Assay for Detection Immunoglobulin G (IgG)

정우석<sup>1</sup>, <u>김기범<sup>2,3,\*</sup></u>, 강형섭<sup>2</sup>, 김성종<sup>4</sup>, 김진상<sup>2</sup>, 김민호<sup>5</sup>, 홍철운<sup>6</sup>

1전북대학교 대학원 생체공학과; 2전북대학교 수의과대학 약리학교실; 3전북대학교 대학원 의학과; 4전북대학교 공과대학 화학공학부; 5전북대학교 의학전문대학원 흉부외 과학교실; 6전북대학교 공과대학 바이오메디컬공학과

(kgb70@chonbuk.ac.kr\*)

In this study, we have developed shear horizontal (SH) surface acoustic wave (SAW) sensors for the detection of immunoglobulin G (IgG) on the gold coated delay line of SH-SAW devices. As the result of the experiment, we could uniformly immobilize anti-MIgG(mouse IgG) conjugate on the surface of gold. When displaying results of immobilization on the surface of gold using G-anti MIgG conjugate and blocking buffer in frequency shift, G-anti MIgG conjugate showed frequency shift of 75.1 kHz in the initial frequency, and blocking buffer showed frequency shift of 215.7 kHz. When various concentration of MIgG was added in 100MHz type, the sensor showed 46.3, 127.45, 161.21 and 262.39 kHz frequency shift at 25, 50, 75 and 100 µg MIgG concentration compare with phosphate buffered saline (PBS) solution. The result shows that is primarily detected the frequency shift due to the change in mass loading, which results from interactions between the prove and the target layer.