Nano-Graphite Incorporated Mesocellular Carbon Foam for High Performance Electrochemical Energy Storage Electrode Materials

<u>안선형</u>, 조창신, 윤성훈¹, 이진우* POSTECH; ¹중앙대학교 (jinwoo03@postech.ac.kr*)

Mesocellular carbon foam (MSU-F-C) is functionalized with hollow nanographite by a simple solution-phase method to enhance the intrapenetrating electrical percolation network. The electrical conductivity of the resulting material, denoted as MSU-F-C-G, is increased by a factor of 20.5 compared with the pristine MSU-F-C. Hollow graphite nanoparticles are well-dispersed in mesocellular carbon foam and the d spacing of the (002) planes is 0.343 nm, suggesting a random combination of graphitic and turbostratic stacking. When the resulting mesocellular carbon materials are used as electrode materials for an electric double layer capacitor (EDLC), the MSU-F-C-G electrode exhibited a very high area capacitance and high capacity retention compared with that of the MSU-F-C electrode, which is attributed to the enhanced intraparticle conductivity by the nanographitic functionalization. When applied as an anode in a lithium ion battery, a significant increase of the initial efficiency, high reversible discharge capacity in the lower voltage region, and a higher rate capability were observed due to the low resistance derived from the nanographitic functionalization.